L Number	Hits	Search Text	DB	Time stamp
1	1	@ad<20002212 and validation same encrypt\$4 same decrypt\$4 same accelerator	USPAT; US-PGPUB; EPO; JPO;	2004/05/18 08:36
2	17	@ad<20002212 and validation same encrypt\$4 same decrypt\$4 and accelerator	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/18 08:37
3	28	@ad<20002212 and validat\$5 same encrypt\$4 same decrypt\$4 and accelerator	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/18 08:38
4	28	@ad<20002212 and validat\$5 and encrypt\$4 same decrypt\$4 same accelerator	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/18 08:39
-	87	@ad<20002212 and Transformer near5 switch same message	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/18 08:35
-	97	@ad<20002212 and Transform\$4 near5 switch same message	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/09 16:22
-	247	@ad<20002212 and Transport\$4 near5 switch same message	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/09 16:22
-	166	@ad<20002212 and Transport\$4 near3 switch same message	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/09 16:25
-	12	@ad<20002212 and (translat\$5 or transform) same (html or xml or html or edi) same switch	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/09 16:30
-	129	@ad<20002212 and (translat\$5 or transform) same (html and xml or edi) and switch	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/09 16:33
-	63	@ad<20002212 and (translat\$5 or transform) same ((html and xml) or (xml and edi) or (xml and ascii) or (ascii and edi)) and switch	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/09 16:35
-	28	<pre>@ad&lt;20002212 and (translat\$5 or transform) same ((html same xml) or (xml same edi) or (xml same ascii) or (ascii same edi)) and switch</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/09 16:47
-	14	<pre>@ad&lt;20002212 and (translat\$5 or transform) same ((html same xml) or (xml same edi) or (xml same ascii) or (ascii same edi)) and switch same (nodes or</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/12 10:28
-	2	server) @ad<20002212 and network and security adj3 accelerator and encryp\$3 and decrypt\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/09 16:43

r <del></del>	22	@ad<20002212 and network and validation	USPAT;	2004/04/09
_	22		US-PGPUB;	16:49
		adj3 template\$2	· · ·	10:49
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2		USPAT;	2004/04/09
		technology and ibm	US-PGPUB;	16:53
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	27		USPAT;	2004/04/12
		transform\$3 or transcod\$3) same switch\$3	US-PGPUB;	10:26
		same (html or xml or html or edi)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	14	@ad<20002212 and (translat\$5 or	USPAT;	2004/04/12
		transform) same ((html same xml) or (xml	US-PGPUB;	12:42
	1	same edi) or (xml same ascii) or (ascii	EPO; JPO;	
		same edi)) and switch same (nodes or	DERWENT;	
		servers)	IBM TDB	
l	21	@ad<20002212 and (translat\$5 or transform	USPAT;	2004/04/12
	2.1	or transcoder) same ((html same xml) or	US-PGPUB;	12:41
		(xml same edi) or (xml same ascii) or	EPO; JPO;	12.11
		(ascii same edi)) and switch\$3 same	DERWENT;	
İ		(nodes or servers)	IBM TDB	
	2	·	USPAT;	2004/04/12
-	4	@ad<20002212 and 20020076134	US-PGPUB;	11:29
			EPO; JPO;	11.29
			DERWENT;	
			IBM_TDB	2004/04/25
-	40	1 2	USPAT;	2004/04/26
		template	US-PGPUB;	15:28
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	29		USPAT;	2004/04/12
		transform or transcoder) same ((html same	US-PGPUB;	12:51
[		xml) or (xml same edi) or (xml same	EPO; JPO;	
		ascii) or (ascii same edi))and switch\$3	DERWENT;	
		and (nodes or servers) and network	IBM_TDB	
		).detd.	-	
-	15	@ad<20002212 and ((translat\$5 or	USPAT;	2004/04/12
		transform or transcoder) same ((html same	US-PGPUB;	15:50
		xml) or (xml same edi) or (xml same	EPO; JPO;	
	1	ascii) or (ascii same edi)) and switch\$3	DERWENT;	1
		same (nodes or servers) and network	IBM TDB	
		).detd.	_	
		1 /	<del></del>	

	<u> </u>			
-	100	("6336137"	USPAT;	2004/04/12
		"6557043"	US-PGPUB;	15:50
		"6571292"	EPO; JPO;	
		"6324568"	DERWENT;	
'		"6609150"	IBM_TDB	į
		"6501956"	_	
		"6604128"		
		"6083276"		
		"6542911"		·
		"6012098"		
		"6199081"		
		"6397219"		
		"6453329"		
		"6466940"		
		"6476833"		ļ.
		"6631379"		
		"6311194"		
	1	"6490564"		
		"6578000"		
		"6426778"		
		"6589291"		
		"6209124"		
1		"6397217"		]
		"6507817"		1
	]	"6519617"		
		"5973696"		
		"6456308"		
		"6446113"		
		"6587855"		
		"6671853"		
1		"6516322"		
		"6675354"		
		"6223190"		
		· · ·		
		"6223190"		ļ
		"6366934"		
	İ	"6421656"		
		"6519597"		
		"6584459"		
		"6578192"		
		"6167441"		
ŀ		"6336124"		
		0330124   "6088675"		
ľ				
		"6480865"		
		"6681370"		
		"6697964"		
1	1	"6094649"		
		"6167448"		
		"6463440"		
1		"6418448"		]
		"6571253").pn.		
		00,1200 /.pii.		
	_	"20020078124"	IICDATE.	2004/04/26
-	2	"20020078134"	USPAT;	
			US-PGPUB;	15:05
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	1	6622168.pn. and (servers or nodes)	USPAT;	2004/04/26
			US-PGPUB;	15:22
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	1	And < 2000 2212 and nage		2004/04/26
-	46	@ad<20002212 and accelerator same	USPAT;	2004/04/26
1		encrypt\$4 same decrypt\$4	US-PGPUB;	15:36
1			EPO; JPO;	
			DERWENT;	Į l
			IBM TDB	1
_	1	@ad<20002212 and COUPL\$4 NEAR5	USPAT;	2004/04/26
	1	accelerator same encrypt\$4 same decrypt\$4	US-PGPUB;	15:37
		additionable same charpey a same decrypty	EPO; JPO;	
	]			
			DERWENT;	
	<u> </u>		IBM_TDB	

-	3	@ad<20002212 and "6549937"	USPAT; US-PGPUB; EPO; JPO;	2004/05/10 16:31
_	2	@ad<20002212 and "20030069975"	DERWENT; IBM_TDB USPAT;	2004/05/10
			US-PGPUB; EPO; JPO; DERWENT; IBM TDB	11:24
-	45	<pre>@ad&lt;20002212 and determin\$4 same transformation near5 (need\$4 or perform\$3 or require\$) same protocol</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/07 17:58
-	31	<pre>@ad&lt;20002212 and determin\$4 same transformation near5 (need\$4 or require\$) same protocol</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/07 17:59
-	60	<pre>@ad&lt;20002212 and determin\$4 same translation near5 (need\$4 or require\$) same protocol</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/07 17:59
-	123	@ad<20002212 and validator same error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 11:24
-	123	@ad<20002212 and validator same error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 11:28
-	7	<pre>@ad&lt;20002212 and (validator same error).ab.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 11:29
-	6	<pre>@ad&lt;20002212 and (html near10 validat\$4).ab.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 15:16
-	15	@ad<20002212 and validator same syntax same error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 15:20
-	63	@ad<20002212 and validat\$4 same syntax same error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 15:20
-	9	@ad<20002212 and validat\$4 near30 syntax near30 error	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 15:26
_	1	@ad<20002212 and validat\$4 near30 syntax near30 error same correct	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 15:29
-	1	@ad<20002212 and (html or xml) near10 validat\$4 same syntax same error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 15:38

- 9 @ad<20002212 and validat\$4 near30	0
3	0
3 @ad<20002212 and validat\$4 near5 message near5 quality  2 @ad<20002212 and validat\$4 near3 message near5 quality  2 @ad<20002212 and validat\$4 near3 message near5 quality  2 @ad<20002212 and validat\$4 near3 message near5 quality  2 @ad<20002212 and validat\$4 near3 message near5 quality  35 @ad<20002212 and (translat\$4 or USPAT; 2004/05/10 perwent; near5 quality  36 @ad<20002212 and (translat\$4 or USPAT; 2004/05/10 perwent; near5 quality  37 @ad<20002212 and (translat\$4 or USPAT; 2004/05/10 perwent; near5 quality	
2 @ad<20002212 and validat\$4 near3 message uspAT; 2004/05/19 near5 quality us-pgpuB; 15:45 EPO; JPO; DERWENT; IBM_TDB uspAT; 2004/05/19 2004/05	0
-   35   @ad<20002212 and (translat\$4 or   USPAT;   2004/05/1	
transform\$4) near10 xml near10 html US-PGPUB; 18:40 EPO; JPO; DERWENT;	0
- 26 @ad<20002212 and transform\$4 near10 xml USPAT; us-pgpuB; hear10 (html or edi or ascii) US-pgpuB; EPO; JPO; DERWENT; IBM TDB	0
- 10 @ad<20002212 and transform\$4 near10 xml USPAT; US-PGPUB; mear10 (html or edi or ascii) same EPO; JPO; DERWENT; IBM TDB	0
- 16 @ad<20002212 and (transform\$4 or translat\$4 or gateway) near10 xml near10 USPAT; US-PGPUB; (html or edi or ascii) same message EPO; JPO; DERWENT; IBM TDB	0
- 203 @ad<20002212 and (transform\$4 or USPAT; 2004/05/10 translat\$4 or gateway) near10 (xml or html or edi or ascii) near10 (html or edi EPO; JPO; or ascii) same message DERWENT; IBM TDB	0
- 114 @ad<20002212 and (transform\$4 or USPAT; 2004/05/10 translat\$4 or gateway) near10 (xml or html or edi or ascii) near10 (html or edi EPO; JPO; or ascii) near10 message DERWENT; IBM TDB	0
- 3 @ad<20002212 and (transform\$4 or USPAT; translat\$4 or gateway) near10 xml near10 US-PGPUB; (html or edi or ascii) near10 message EPO; JPO; DERWENT; IBM TDB	0
- 46 @ad<20002212 and (transform\$4 or USPAT; 2004/05/10 translat\$4) near10 xml near10 (html or US-PGPUB; edi or ascii) EPO; JPO; DERWENT;	
- 3 @ad<20002212 and ((transform\$4 or USPAT; translat\$4) near10 xml near10 (html or edi or ascii)).ab. EPO; JPO; DERWENT; LPM TOP	o .
-   35   @ad<20002212 and (transform\$4 or translat\$4) near10 xml near10 (html )   US-PGPUB; EPO; JPO; DERWENT; IBM TDB	0

		·		
-	2	@ad<20002212 and 6567915.pn.	USPAT;	2004/05/10
,			US-PGPUB;	18:13
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	@ad<20002212 and 2002/0078134	USPAT;	2004/05/10
			US-PGPUB;	18:13
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	, , ,
-	2	@ad<20002212 and "20020078134"	USPAT;	2004/05/10
			US-PGPUB;	18:29
	1		EPO; JPO;	
			DERWENT;	
1	8	G-d<20002212 and realidation and termilate	<pre>IBM_TDB USPAT;</pre>	2004/05/10
-	°	@ad<20002212 and validation adj template	US-PGPUB;	18:36
			EPO; JPO;	10:36
			DERWENT;	
			IBM TDB	
_	2	@ad<20002212 and valid\$4 near10 dtd	USPAT;	2004/05/10
] _		near10 schema same message	US-PGPUB;	18:40
		Treatio serema same message	EPO; JPO;	10.10
			DERWENT;	
			IBM TDB	
_	5093	@ad<20002212 and valid\$4 near5 message	USPAT;	2004/05/10
		Juli 10000010 and variation message	US-PGPUB;	18:40
			EPO; JPO;	1
1			DERWENT;	
	1		IBM TDB	
_	5	@ad<20002212 and valid\$4 near5 message	USPĀT;	2004/05/10
		near10 (schema or dtd)	US-PGPUB;	18:44
		,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	6	@ad<20002212 and valid\$4 near5 message	USPAT;	2004/05/10
		near20 (schema or dtd)	US-PGPUB;	18:50
			EPO; JPO;	
	<b>\</b>		DERWENT;	
			IBM_TDB	]
-	168	@ad<20002212 and valid\$4 near20 (schema	USPAT;	2004/05/10
		or dtd)	US-PGPUB;	18:50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/05/10
-	148	@ad<20002212 and valid\$4 near10 (schema	USPAT;	2004/05/10
		or dtd)	US-PGPUB;	18:51
			EPO; JPO;	
			DERWENT;	
1	10	   @ad<20002212 and (valid\$4 near10 (schema	IBM_TDB USPAT;	2004/05/10
-	1	or dtd)).ab.	US-PGPUB;	18:53
	1	or aca,,,ab.	EPO; JPO;	10.00
		<u>'</u>	DERWENT;	
1			IBM TDB	
_	4	@ad<20002212 and (valid\$4 near10 (data	USPAT;	2004/05/10
1		or message) same (schema or dtd)).ab.	US-PGPUB;	18:55
1			EPO; JPO;	
1			DERWENT;	
1			IBM TDB	
-	14	@ad<20002212 and (valid\$4 same (schema	USPAT;	2004/05/10
1		or dtd)).ab.	US-PGPUB;	18:56
1			EPO; JPO;	
			DERWENT;	
1		,	IBM TDB	
-	2	@ad<20002212 and (valid\$4 same message	USPĀT;	2004/05/10
1		same (schema or dtd)).ab.	US-PGPUB;	19:08
	1		EPO; JPO;	
			DERWENT;	
			IBM TDB	

		•		
_	25	<pre>@ad&lt;20002212 and (valid\$4 same message same (schema or dtd))</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/05/10 19:08
			DERWENT; IBM TDB	
. –	2	@ad<20002212 and validation adj template same schema same dtd	USPAT; US-PGPUB; EPO; JPO;	2004/05/13 17:09
_	23	@ad<20002212 and validat\$4 same schema same dtd	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/13 17:18
_	90	@ad<20002212 and validat\$4 and schema and dtd 6571279.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/13 17:19
			DERWENT;	
_	1	@ad<20002212 and validat\$4 and schema and dtd and 6571279.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 09:51
-	48	@ad<20002212 and validat\$4 and accelerat\$4 same encrypt\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/17 09:59
-	760	@ad<20002212 and validat\$4 same tag	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/05/17 10:03
_	2	@ad<20002212 and validat\$4 same remov\$5	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/05/17
		near5 validat\$4 near5 instructions	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	10:01
-	240	<pre>@ad&lt;20002212 and validat\$4 same tag same indicat\$4</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 10:03
-	139	<pre>@ad&lt;20002212 and validat\$4 same tag near10 indicat\$4</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 10:03
-	38	<pre>@ad&lt;20002212 and validat\$4 near20 tag near10 indicat\$4</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17
_	233	@ad<20002212 and indicat\$4 near10 message near10 validat\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/17 10:05
-	12	@ad<20002212 and indicat\$4 near10 message near10 validat\$4 same encrypt\$4	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/17
-	2	@ad<20002212 and indicat\$4 near10 message near10 validat\$4 and validat\$4 near5 template	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/17 10:47
			DERWENT; IBM_TDB	

-	4	@ad<20002212 and "6330598" and server	USPAT; US-PGPUB;	2004/05/17 11:54
		·	EPO; JPO; DERWENT;	
		0 ) (000000010	IBM_TDB	2004/05/17
-	3	@ad<20002212 and "6330598" and trans1\$4	USPAT; US-PGPUB;	2004/05/17 13:03
		Same message	EPO; JPO;	13:03
			DERWENT;	
			IBM TDB	
-	2	@ad<20002212 and messag\$4 same	USPAT;	2004/05/17
		transform\$4 and messag\$4 same switch\$4	US-PGPUB;	13:24
		and "20030069975"	EPO; JPO;	İ
	1		DERWENT;	
	,	A-4/20002212 4	IBM_TDB	2004/05/17
-	1	@ad<20002212 and "20030069975" and address\$4 same port same number same	USPAT; US-PGPUB;	2004/05/17 13:25
		request same root same validation	EPO; JPO;	13.23
		request same root same variation	DERWENT;	
			IBM TDB	]
-	1	0	USPAT;	2004/05/17
		portion same message same transform and	US-PGPUB;	13:43
		switch\$4 same portion same message	EPO; JPO;	
			DERWENT;	
-	53	@ad<20002212 and valid\$4 near5 message	IBM_TDB USPAT;	2004/05/17
		same (remov\$4 or add\$4)   same tag	US-PGPUB;	13:47
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13		USPAT;	2004/05/17
		(prevalid\$4 or pre-valid\$4 or (pre adj valid\$4))	US-PGPUB; EPO; JPO;	13:49
		Validaa, )	DERWENT;	
			IBM TDB	
-	121		USPAT;	2004/05/17
		(prevalid\$4 or pre-valid\$4 or (pre adj	US-PGPUB;	13:51
		valid\$4) or (previous\$4 near2 valid\$4))	EPO; JPO;	
			DERWENT; IBM TDB	
_	78	@ad<20002212 and message same	USPAT;	2004/05/17
		(prevalid\$4 or pre-valid\$4 or (pre adj	US-PGPUB;	13:54
		valid\$4) or (previous\$4 adj2 valid\$4))	EPO; JPO;	
1			DERWENT;	
	1 20	0-4×20002212 and indi-ta410	IBM_TDB	2004/05/17
-	39	@ad<20002212 and indicat\$4 near10 message near20 validated	USPAT; US-PGPUB;	2004/05/17
		mcssage nearzo varruateu	EPO; JPO;	13.37
1		,	DERWENT;	
			IBM_TDB	
-	73	•	USPAT;	2004/05/17
		validated).ab.	US-PGPUB;	14:01
			EPO; JPO; DERWENT;	
			IBM TDB	
_	33	@ad<20002212 and validat\$4 near5	USPAT;	2004/05/17
		message same tag	US-PGPUB;	14:02
	1		EPO; JPO;	
			DERWENT;	
_	10	@ad<20002212 and validat\$4 near5	IBM_TDB USPAT;	2004/05/17
		message near20 tag	US-PGPUB;	14:05
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	• · · · · · · · · · · · · · · · · · ·	USPAT;	2004/05/17
		message adj100 tag	US-PGPUB;	14:06
			EPO; JPO; DERWENT;	
1			IBM TDB	
	·			·

_	6	<pre>@ad&lt;20002212 and indicat\$4 same message same (prevalid\$4 or (pre-valid\$4) or ( pre adj valid\$4) or (previous\$4 adj valid\$4))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17
_	6	@ad<20002212 and indicat\$4 same message same (prevalid\$4 or (pre-valid\$4) or (	IBM_TDB USPAT; US-PGPUB;	2004/05/17
		pre adj valid\$4) or (previous\$4 adj valid\$4) or (prior adj valid\$4))	EPO; JPO; DERWENT; IBM TDB	14.03
	12	<pre>@ad&lt;20002212 and indicat\$4 same message same (prevalid\$6 or (pre-valid\$6) or ( pre adj valid\$6) or (previous\$4 adj valid\$6) or (prior adj valid\$6))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 14:11
	35	<pre>@ad&lt;20002212 and message near20 (prevalid\$6 or (pre-valid\$6) or ( pre adj valid\$6) or (previous\$4 adj valid\$6) or (prior adj valid\$6))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 14:12
-	2	<pre>@ad&lt;20002212 and add\$4 near20 message near20 (prevalid\$6 or (pre-valid\$6) or ( pre adj valid\$6) or (previous\$4 adj valid\$6) or (prior adj valid\$6))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 14:24
-	17	<pre>@ad&lt;20002212 and identif\$4 near10 message near10 validated</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 14:27
	3	@ad<20002212 and "6092193"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 14:32
-	160	<pre>@ad&lt;20002212 and message near20 (validation or authentication) near5 signal</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 14:32
-	4	@ad<20002212 and message near20 (validation or authentication) near5 signal near20 identif\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 14:33
_	160	@ad<20002212 and message near20 (validation or authentication) near5 signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 14:34
_	2	@ad<20002212 and message near20 (validation or authentication) near5 signal same confirm\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 14:36
_	2	@ad<20002212 and remov\$4 near5 validat\$6 near5 instruction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 14:37
-	435	@ad<20002212 and (remov\$4or add\$4) near5 vali\$6 near10 message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 14:38
-	65	@ad<20002212 and (remov\$4or add\$4) near5 valid\$6 near10 message near10 indicat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 14:40

-	13	@ad<20002212 and xml near10 valid\$6 same message	USPAT; US-PGPUB; EPO; JPO;	2004/05/17 14:41
	15	And < 2000 2212 and 1 ml no 2 n1 0 1 ml i d 6 6 m m m	DERWENT; IBM_TDB	2004/05/17
-	15	<pre>@ad&lt;20002212 and xml near10 valid\$6 same indicat\$6</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	14:45
-	4	@ad<20002212 and xml near10 validated same indicat\$6	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 14:45
-	25	@ad<20002212 and xml near10 validated	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/17 14:58
_	5	@ad<20002212 and xml near10 indicat\$6 near20 valid\$6	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/17 15:03
_	5	@ad<20002212 and xml and validation near5 instruction	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/17 15:05
-	10	@ad<20002212 and xml and indication same (message or document) same valid\$6	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:10
-	10	<pre>@ad&lt;20002212 and xml and (tag or stamp or denote or mark or indicat\$4) near10 (message or document) near10 valid</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:15
-	6	@ad<20002212 and xml and confirm\$6 near20 (document or message) near10 valid	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:17
_	30	@ad<20002212 and xml and (document or message) near10 validated	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:19
_	3	<pre>@ad&lt;20002212 and identif\$5 near10 previously near10 valid near10 (document or message)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:24
-	3	<pre>@ad&lt;20002212 and identif\$5 near10 previously near10 valid near10 (cocument or message)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:20
_	64	@ad<20002212 and tag with message with valid	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:25
-	2	@ad<20002212 and tag with message with valid and xml	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:29
	L		IBM TDB	

-	20	@ad<20002212 and tag adj10 (document or	USPAT;	2004/05/17
		message) adj10 valid	US-PGPUB;	15:30
			EPO; JPO;	
			DERWENT;	
	215	0.4.00000010 1 4.11 4.66 1110	IBM_TDB	0004/05/12
_	315	@ad<20002212 and indicat\$6 adj10	USPAT;	2004/05/17
		(message or document) adj20 valid\$6	US-PGPUB;	15:35
			EPO; JPO;	
			DERWENT;	
		0-1:00000010 1 1-11 46 110	IBM_TDB	0004/05/17
_	3	@ad<20002212 and indicat\$6 adj3	USPAT;	2004/05/17
		(message or document) adj3 validated	US-PGPUB;	15:37
			EPO; JPO;	
			DERWENT;	[
	13	@ad<20002212 and indicat\$6 adj3	IBM_TDB	2004/05/17
-	13	(message or document) adj5 validated	USPAT;	2004/05/17 15:37
		(message of document) adjo validated	US-PGPUB;	15:3/
			EPO; JPO; DERWENT;	
			IBM TDB	
_	99	@ad<20002212 and indicat\$6 adj3	USPAT;	2004/05/17
1		(message or document) adj3 valid\$6	USPAT; US-PGPUB;	15:41
	1	\message of document, adjo variate	EPO; JPO;	17.11
1			DERWENT;	
	1		IBM TDB	
1_	43	@ad<20002212 and indicat\$6 adj3	USPAT;	2004/05/17
1	1	(message or document) adj3 valid\$6 same	US-PGPUB;	16:22
1		(bit or tag or indication)	EPO; JPO;	1
		(all of day of inaloadion)	DERWENT;	
1			IBM TDB	
-	105	@ad<20002212 and bit near10 (message or	USPAT;	2004/05/17
		document) adj3 valid\$6	US-PGPUB;	15:44
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	@ad<20002212 and (indicat\$6 adj3	USPAT;	2004/05/17
		(message or document) adj3 valid\$6 same	US-PGPUB;	15:46
		(bit or tag or indication)).ab.	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	27	@ad<20002212 and xml and valid\$6 near10	USPAT;	2004/05/17
		bit	US-PGPUB;	16:00
	İ		EPO; JPO;	
			DERWENT;	
		la	IBM_TDB	
-	J 78	@ad<20002212 and indication same	USPAT;	2004/05/17
	1	(document or message) same validated	US-PGPUB;	16:02
		, ·	EPO; JPO;	
			DERWENT;	
1_	-	And<20002212 and / indianting	IBM_TDB	2004/05/17
-	3	@ad<20002212 and (indication same	USPAT;	2004/05/17
		(document or message) same validated).AB.	US-PGPUB;	10:01
			EPO; JPO; DERWENT;	
}			IBM TDB	
_	14	@ad<20002212 and indication with	USPAT;	2004/05/17
		(document or message) with validated	US-PGPUB;	16:03
		\assametre of message/ with varidated	EPO; JPO;	10.00
			DERWENT;	
		,	IBM TDB	
_	19	@ad<20002212 and identification near10	USPAT;	2004/05/17
		valid near20 document	US-PGPUB;	16:04
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	79	@ad<20002212 and ((prevalid\$6) or	USPAT;	2004/05/17
		(pre-valid\$6) or (pre adj valid\$6) or	US-PGPUB;	16:06
		(previous adj valid\$6) or (prior near3	EPO; JPO;	
		valid\$6)) near10 (message or document)	DERWENT;	
			IBM TDB	
	<del> </del>			L

-	200	@ad<20002212 and (switch\$6 or rout\$6)	USPAT;	2004/05/17
		near5 based near10 tags	US-PGPUB;	16:23
		-	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	12	@ad<20002212 and (switch\$6 or rout\$6)	USPAT;	2004/05/17
		near5 message near5 based near10 tags	US-PGPUB;	16:36
			EPO; JPO;	
ļ			DERWENT;	
			IBM TDB	ì